#### City of Wasilla Resolution Serial No. 14-10

A Resolution of the Wasilla City Council transferring funds within an accounting fund in the amount of \$15,000 for new communication equipment in the City Hall council chamber.

WHEREAS, the City Hall council chamber is in need of a new wireless microphone system and new digital recording equipment; and

WHEREAS, funding is available from an existing city hall capital improvement account for building modifications that have been completed.

NOW, THEREFORE, BE IT RESOLVED, that the Wasilla City Council that funds be transferred to the following account:

110-4330-433.45-14	Council Chamber Sound System	\$15,000
BE IT FUTHER RESOL	VED, that the source of funding is as follows:	
110-4330-433.45-03	City Hall Building Modification	\$15,000

ADOPTED by the Wasilla City Council on February 24, 2014.

VERNE E. RUPRIGHT, Mayor

ATTEST:

KRISTIE SMITHERS, MMC, City Clerk

[SEAL]

# WASILLA • ALASKA •

Originator:

### **CITY COUNCIL LEGISLATION STAFF REPORT**

Public Works Director

Resolution Serial No. 14-10: Transferring funds within an accounting fund in the amount of \$15,000 for new communication equipment in the City Hall council chamber.

Date:	February 10, 2014	Agenda of: February 24, 2014		
Route to:	Department Head	Signature	Date ,	
X	Public Works Director	4	2/10/14	
Х	Finance Director	Antraction	2/11/14	
Х	Deputy Administrator	Alp	2-14-14	
Х	City Clerk	ASm.x	2/11/14	
Reviewed b	by Mayor Verne E. Rupright:	A		

Fiscal Impact:Impact:Impact:Account name/number:Council Chamber Sound System/110-4330-433.45-14

Attachments: Equipment Description (2 pages)

**Summary Statement:** This resolution transfers funds within an accounting fund for a new wireless microphone system for the council chamber, along with new digital recording equipment. Funding is available from an existing city hall capital improvement account for building modifications that have been completed.

Both of these systems are in need of replacement as they are intermittently failing. In addition, the new recording equipment will allow meeting audios to be posted on the City's website.

Recommended Action: Adopt Resolution Serial No. 14-10.



#### Project/location: Wasilla Chambers Wireless Microphones, REV 1 Bid date: 1/27/14

To: April Dwyer	From: Bill Fair
Company: City of Wasilla	Company: ATS Alaska
Phone:	Phone: 907-375-4107
Fax:	Fax: 907-868-5123

We propose to engineer, furnish, program and start-up the following low-voltage/facility systems for the above referenced project. Installation will be by ATS Alaska. The project will be executed based on the plans dated  $\underline{xx/xx/13}$ , acknowledges addendum/a \_\_ and the following specification sections:

Wireless Microphones

#### Base Bid: \$9,428.00

**Remarks** (the following inclusions, exclusions and clarifications apply specifically to this project):

- All Material FOB job site.
- We will replace the wireless microphones in the FCC forbidden 700MHZ frequency band with new wireless microphones in the 600MHZ range.
- We are including 8 handheld microphones and 1 lapel microphone.
- We will install the new microphone receivers in the existing rack and mount the antennas on the rack. Everything will be securely mounted and professionally installed.
- We will integrate this microphones into your existing Lectrosonic system and thoroughly test your system.

#### Exclusions (unless specifically included in the remarks section above, the following standard exclusions apply):

• Bonds, taxes (unless itemized above with base bid), fire watch, demolition, asbestos abatement, providing high lift devices, cutting/patching/painting, phone line for modem, development of auto-cad floor plans (usually available from architect or consultant).


#### General Terms & Conditions:

- Price valid for 60 days from date of quote.
- Standard warranty 1 year parts and labor or as required in specifications. Warranty takes effect upon substantial completion defined as beneficial use of the system. Excludes acts of God or damage caused by others, etc.
- Payment Terms, Net 30.

If a contract or purchase order will be issued for this scope of work, please reference this proposal in the contract documents OR sign the proposal below authorizing us to proceed. In order for us to proceed we will also need a full set of **conformed plans & specs**, a **project schedule and an electronic copy of auto-cad floor plans**. Thank you for your consideration.

Proposal Submitted by:		Proposal accepted by (signature):	
Name:	Bill Fair	Name (print):	
Title:		Title:	
Date:	1/27/14	Date:	

## **Verbatim Reporting & Transcription, LLC**



Verbatim Reporting & Transcription, LLC EIN #20-3914344 P.O. Box 58644 Houston, TX 77258

(520)303-7356 kimberly@verbatimrt.com http://www.verbatimrt.com Date Quote No. 01/22/2014 1067

Exp. Date

#### Address

City of Wasilla City of Wasilla Attn: Sarah Whiteley 290 E. Herning Avenue Wasilla, AK 99654 USA

SUCCESSION IN COLUMN	Ship To
	City of Wasilla
	City of Wasilla
	Attn: Sarah Whiteley
	290 E. Herning Avenue
	Wasilla, AK 99654 USA
Ł	

ltem	Date of Pr	Case Info/Item	Quantity	Price/Rate	Amount
FTR:Access	01/22/2013	FTR Record Manager - Access Edition (v5.6) - PSP-001990AC56-0E	1	397.50	397.50
FTR:FTR	01/22/2014	FTR: FTR Reporter 5.6 upgrade PSP-01399-GR56-0E	1	1,195.00	1,195.00
Reporter					
Upgrade 5.6	01/00/0014	DMX 4 Minor Single Unit DUD 40400 UZ10 7E	1	1 255 00	1 255 00
X4	01/22/2014	DMX-4 Mixer, Single Unit PHP-40499-HZ10-ZE	1	1,355.00	1,355.00
Postage & Freight:Shippin g & Handling	01/22/2014	Shipping TBD			
Thank you for allowin	ig us the opport	unity to provide our quote for services. We look forward to on answer any questions you may have. Please feel free to	- L	Total	\$2,947.5

working with you and are available to answer any questions you may have. Please feel free to contact us for a web demo at kimberly@verbatimrt.com or (520) 861-0711. March Quote, Judge Lucy Koh, Apple v Samsung, "I need everyone to stay conscious during the reading of instructions, including myself, so we're going to stand up occasionally to make sure the blood is still flowing."

Accepted By

Accepted Date